



FRANKHAM

**BASEPOINT BUSINESS PARK, TILBURY
THROCK COUNCIL**

**RIBA STAGE F1 SPECIFICATION
DETAILED INTERNAL IRONMONGERY
SPECIFICATION**

Notice

This document has been produced by Jill E Swift BA (Hons) BArch– Project Architect - from the [Frankham Consultancy Group](#).

It may not be used by any person for any other purpose other than that specified without the express written permission of the [Frankham Consultancy Group](#). Any liability arising out of use by a third party of this document for purposes not wholly connected with the above shall be the responsibility of that party who shall indemnify [Frankham Consultancy Group](#) against all claims costs damages and losses arising out of such use.

Document History

JOB NUMBER: 612494			DOCUMENT REF: 612494/Stage F1 NBS Specification/June 2016/DJM			
Revision	Purpose and Description	Originated	Checked	Reviewed	Authorised	Date
V1	Stage F1 (NBS) Detailed Ironmongery Specification	JES	DJM	DJM	NS	10.06.16
V2	Stage F1 (NBS) Detailed Ironmongery Specification	JES	DJM	DJM	NS	27.07.16

P21 Door Ironmongery

DESCRIPTIVE REQUIREMENT OF IRONMONGERY

Descriptions & Codes referred to below relate to ALLGOOD plc (T: 0121 359 4415) 'ALITE' and 'MODRIC' satin stainless steel ranges of ironmongery

Ground Floor

**Doors to Rooms GFD01, GFD02, GFD03, GFD04, GFD05, GFD06, GFD07, GFD08, GFD09, GFD10, GFD11, GFD12, GFD13, GFD14, GFD15, GFD16, GFD17, GFD18, GFD19, GFD20 :
All Doors to Ground Floor Unisex Wheelchair Use WCs**

- 3no. SS48293N - 102mm long Butterfly self lubricating butt hinges
- 1no. SS6599SFF - 650mm long pull handle secret fix **set horizontally inside wc**
- 1no. SS97422 - Pair of 19mm diameter safety lever handles on through fix roses
- 1no. SS7608F60 - Vertical mortice bathroom lock
- 1no. SS97874 - Disabled bathroom turn on concealed fixing rose/emergency release
- 2no. SS97665 - 150mm high kick plate with SS screw fixings
- 1no. SS97915 - 76mm diameter Disabled toilet sign with SS screw fixings
- 1no. SS97914 - 76mm diameter Unisex toilet sign with SS screw

GENERAL

130 APPROVED SUPPLIERS

Source: Obtain specified ironmongery from Allgood plc, 63 / 83 Brearley Street, Birmingham, B19 3NT (T: 0121 380 2230).

141 SAMPLE BOARDS

General: Before placing orders with suppliers submit a sample board, containing labelled samples of ironmongery and showing methods of fixing.

Conformity: Retain board on site in an approved location for the duration of the contract.

Ensure conformity of ironmongery as delivered with labelled samples.

180 CATEGORY OF DUTY FOR DOOR IRONMONGERY

Standard: To DD 171.

Category of duty of doors: Appropriate for purpose group of building.

General: Durability of ironmongery components to be compatible with stated category of duty of each door leaf.

Exclusions: Ironmongery with specific duty or 'category of use' defined elsewhere.

Documentation: Before placing orders with suppliers submit documentation showing product compliance with stated category of duty.