



| KEY |   |
|-----|---|
|     | Non-slip safety sheet vinyl. Polyflor Polysafe Stone fx PUR. Colour Jurassic stone. Spec M50      |
|     | Non-slip safety sheet vinyl. Polyflor Polysafe Standard PUR. Colour Nordic grey 4090. Spec M50    |
|     | Barefoot non-slip safety sheet vinyl. Polyflor Polysafe Hydro safe. Colour Marine H4870. Spec M50 |
|     | Non-slip safety plank vinyl. Polyflor Polysafe Wood fx PUR. Colour Sun bleached oak. Spec M50     |
|     | Carpet tiles. DVS. Silver Grey FF907. Spec M50  |
|     | Carpet tiles. DVS. Silver grey stripe FD957. Spec M50   |
|     | Carpet tiles. DVS. Space blue stripe FD573. Spec M50  |
|     | Carpet tiles. DVS. Colour Mercury grey stripe FD965. Spec M50                                     |
|     | Carpet tiles. Tarkett Desso. Anti-static. Colour WBC to confirm. (WBC Area only). Spec M50        |
|     | Barrier matting. Heckmondwike Vanquisher. Colour Charcoal. Spec M50/300                           |
|     | Non-slip floor coating. Watco non-slip epoxy. Spec M60/180.                                       |
|     | Patch repair asphalt to basement stairs. B10/D.1.2  |
|     | As existing   |

Floor leveling screed- in general where required to achieve specified FFL. Spec M10

External - white, yellow, blue and red line marking to rear yard and basement. Spec Q40/450

Contrasting nosing to stairs. Gradus XT Aluminium range. Colour Black insert. Spec M50/200. Existing side stair trim to be repaired and painted Gloss RAL7004.

Cavity barriers to all new partitions in floor voids. Spec M50/200

|     |                    |          |    |
|-----|--------------------|----------|----|
| A   | PRELIM - TQR ISSUE | 08.04.22 | JP |
| REV | DESCRIPTION        | DATE     | BY |

**WATFORD POLICE STATION**  
**3 GEORGE STREET**  
**WATFORD WD18 0BX**

**Proposed**  
**Basement Plan**  
Floor Finishes

|                                  |                |             |
|----------------------------------|----------------|-------------|
| VGA PROJECT NUMBER               |                | L&L         |
| <b>7664</b>                      |                |             |
| DRAWING NO                       |                | REV         |
| <b>WPS-VGA-GS-BA-DR-A-00 360</b> |                | <b>A</b>    |
| DRAWN / DATE                     | CHECKED / DATE | SCALE       |
| CB / APR 22                      | AR / APR 22    | 1:100 at A1 |

**PRELIMINARY**

Written dimensions to be taken. Do not scale off the drawings. Any discrepancies written or scaled should be brought to the attention of the architect immediately. All drawings should be read together and in conjunction with relevant related specifications, room data sheets and all other consultant's information.

T: +44 (0) 1438 316 331  
architects@vincent-gorbing.co.uk  
**vincent-gorbing.co.uk**

Vincent and Gorbing Limited, Sterling Court  
Norton Road, Stevenage, Hertfordshire SG1 2JY  
© Copyright Vincent and Gorbing Limited 2020

